Author index

Akkan, Z., see Berger, R.G. (1055) 234
Ambudkar, I.S., Horn, V.J., Dai, Y. and Baum, B.J.
Evidence against a role for a pertussis toxin-sensitive G protein in Ca^{2+} mobilization in rat parotid acinar cells (1055) 259
Amit, Y., Fedunec, S., Poznansky, M.J., Thomas, P.D. and Schiff, D.
Bilirubin-neural cell interaction: characterization of initial cell surface binding leading to toxicity in the neuroblastoma cell line N-115 (1055) 36
Andersson, T., see Fällman, M. (1055) 173
Ardaillou, R., see Rondeau, E. (1055) 165
Augert, G., see Bouscarel, B. (1055) 265

Badwey, J.A., see Robinson, J.M. (1055) 55
Bali, J.-P., see Roche, S. (1055) 287
Barron, J.T., see Kopp, S.J. (1055) 27
Baum, B.J., see Ambudkar, I.S. (1055) 259
Benne, R., see Bout, A. (1055) 240
Bens, M., see Rondeau, E. (1055) 165
Berger, R.G., Akkan, Z. and Drawert, F.
Catabolism of geraniol by cell suspension cultures of *Citrus limon* (1055) 234
Bergstrand, H., see Fällman, M. (1055) 173
Bianchini, G.M., Pastini, A.C., Muschietti, J.P., Téllez-Iñón, M.T., Martinetto, H.E., Torres, H.N. and Flawiá, M.M.
Adenylate cyclase activity in Cyanobacteria: activation by Ca^{2+}-calmodulin and a calmodulin-like activity (1055) 75
Birdsall, N.J.M., see Buckley, N.J. (1055) 43
Bocckino, S.B., see Georgoussi, Z. (1055) 69
Bourne, R.M.
A ^{31}P-NMR study of phosphate transport and compartmentation in *Candida utilis* (1055) 1
Bouscarel, B., Augert, G., Taylor, S.J. and Exton, J.H.
Alterations in vasopressin and angiotensin II receptors and responses during culture of rat liver cells (1055) 265
Bout, A., De Boer, P.A.J., Tager, J.M., Benne, R. and Moorman, A.F.M.
Zonal distribution of peroxisomal 3-oxoacyl-CoA thiolase mRNA in liver from rats treated with di-(2-ethylhexyl)phthalate (1055) 240
Broxterman, H.J., see Lankelma, J. (1055) 217
Buckley, N.J., Hulme, E.C. and Birdsall, N.J.M.
Use of clonal cell lines in the analysis of neurotransmitter receptor mechanisms and function (1055) 43
Bui, D., see Svoboda, M. (1055) 207

Cahnmann, H.J., see Gonçalves, E. (1055) 151
Carillet, V., Morlière, P., Mazière, J.-C., Hüppe, G., Santus, R. and Dubertret, L.
In vitro interactions of the aromatic retinoids Ro 10-9359 (etretinate) and Ro 10-1670 (acitretin), its main metabolite, with human serum lipoproteins and albumin (1055) 98
Carillet, V., Morlière, P., Mazière, J.-C., Hüppe, G., Santus, R. and Dubertret, L.
Uptake of the aromatic retinoids Ro 10-9359 (etretinate) and Ro 10-1670 (acitretin), its main metabolite, delivered to cultured human fibroblasts by serum proteins. Lack of evidence for perturbation of LDL catabolism (1055) 102
Christophe, J., see Svoboda, M. (1055) 207

Dai, Y., see Ambudkar, I.S. (1055) 259
De Boer, P.A.J., see Bout, A. (1055) 240
Dekker, H., see Lankelma, J. (1055) 217
Demant, E.J.F., Sehested, M. and Jensen, P.B.
A model for computer simulation of P-glycoprotein and transmembrane ΔpH-mediated anthracycline transport in multidrug-resistant tumor cells (1055) 117
Den, T., see Scher, W. (1055) 278
De Wit, L.E.A., see Hülsmann, W.C. (1055) 189
Drawert, F., see Berger, R.G. (1055) 234
Dubertret, L., see Carillet, V. (1055) 102
Dubertret, L., see Carillet, V. (1055) 98
Dunn, M.J., see Simonson, M.S. (1055) 63
Dunne, B.M.J., Yule, D.I., Gallacher, D.V. and Petersen, O.H.
Effects of alanine on insulin-secreting cells: patch-clamp and single cell intracellular Ca^{2+} measurements (1055) 157
Dupuche, M.-H., see Svoboda, M. (1055) 207

Ejima, D., see Scher, W. (1055) 278
Eldar, H., see Seymour, A.-M.L. (1055) 107
Elfman, F., see Lobo, E. (1055) 193
Eliason, J.F., see Péléraux, A. (1055) 141
Eto, Y., see Scher, W. (1055) 278
Exton, J.H., see Bouscarel, B. (1055) 265
Exton, J.H., see Georgoussi, Z. (1055) 69

Fällman, M., Bergstrand, H. and Andersson, T.
Auranofin dissociates chemotactic peptide-induced generation of inositol 1,4,5-trisphosphate from the subsequent mobilization of intracellular calcium in intact human neutrophils (1055) 173
Fedunec, S., see Amit, Y. (1055) 36
Flawiá, M.M., see Bianchini, G.M. (1055) 75
Frey, H.E., see Lepock, J.R. (1055) 19

Galilee, C.F., see Winterbourn, C.C. (1055) 179
Gallacher, D.V., see Dunne, B.M.J. (1055) 157
Ganguly, P.K., Lee, S.-L. and Waghray, G.
Modulation of cardiac β-adrenergic receptors by dopamine β-hydroxylase (1055) 186
Georgoussi, Z., Taylor, S.J., Bocckino, S.B. and Exton, J.H.
Purification of the hepatic vasopressin receptor using a novel affinity column (1055) 69
Gonçalves, E., Lakshmanan, M., Cahnmann, H.J. and Robbins, J.
High-affinity binding of thyroid hormones to neuroblastoma plasma membranes (1055) 151
Guidet, B., see Rondeau, E. (1055) 165
Gylfe, E.
Insulin secretagogues induce Ca^{2+}-like changes in cytoplasmic Mg^{2+} in pancreatic β-cells (1055) 82

Heyworth, P.G., see Robinson, J.M. (1055) 55
Horn, V.J., see Ambudkar, I.S. (1055) 259
Horne, W.C., Prinz, W.C. and Tang, E.K.-Y.
Identification of two cAMP-dependent phosphorylation sites on erythrocyte protein 4.1 (1055) 87
Hulme, E.C., see Buckley, N.J. (1055) 43
Hülsmann, W.C., De Wit, L.E.A., Stam, H. and Schoonderwoerd, K.
Hormonal control of cardiac lipolysis by glyco(geno)lysis (1055) 189

Hüppe, G., see Carillet, V. (1055) 102
Hüppe, G., see Carillet, V. (1055) 98

Iizuka, K., see Kawaguchi, H. (1055) 223
Inniss, W.E., see Lepock, J.R. (1055) 19

Jensen, P.B., see Demant, E.J.F. (1055) 117

Kawaguchi, H., Iizuka, K., Sano, H. and Yasuda, H.
Effect of streptokinase on prostacyclin synthesis and phospholipase activity in cultured pulmonary artery endothelial cells (1055) 223
Kelly, E., see Lobo, E. (1055) 193
Kopp, S.J., Barron, J.T. and Tow, J.P.
Phosphatic metabolites, intracellular pH and free [Mg^{2+}] in single, intact porcine carotid artery segments studied by ^{31}P-NMR (1055) 27

Lacave, R., see Rondeau, E. (1055) 165
Lakshmanan, M., see Gonçalves, E. (1055) 151
Lambert, M., see Svoboda, M. (1055) 207
Lankelma, J., Spoelstra, E.C., Dekker, H. and Broxterman, H.J.
Evidence for daunomycin efflux from multidrug-resistant 2780^{AD} human ovarian carcinoma cells against a concentration gradient (1055) 217
Lee, S.-L., see Ganguly, P.K. (1055) 186
Lepock, J.R., Frey, H.E. and Inniss, W.E.
Thermal analysis of bacteria by differential scanning calorimetry: relationship of protein denaturation in situ to maximum growth temperature (1055) 19
Lobo, E., Elfman, F., Kelly, E. and Perez, H.D.
Effect of phorbol myristate acetate on processing of formyl peptide receptors by human neutrophils (1055) 193

Madeddu, L., see Meldolesi, J. (1055) 130
Magous, R., see Roche, S. (1055) 287
Martinetto, H.E., see Bianchini, G.M. (1055) 75
Matsumoto, Y., see Tanimura, A. (1055) 273
Mazière, J.-C., see Carillet, V. (1055) 102
Mazière, J.-C., see Carillet, V. (1055) 98
Meldolesi, J., Madeddu, L. and Pozzan, T.
Intracellular Ca^{2+} storage organelles in non-muscle cells: heterogeneity and functional assignment (1055) 130
Millis, K.K. and Rabenstein, D.L.
^{1}H-Nuclear magnetic resonance study of the oxidation/reduction chemistry of penicillamine in intact human erythrocytes (1055) 10
Monteiro, H.P., see Winterbourn, C.C. (1055) 179
Moorman, A.F.M., see Bout, A. (1055) 240
Morlière, P., see Carillet, V. (1055) 102
Morlière, P., see Carillet, V. (1055) 98
Morré, D.J., see Zhao, J. (1055) 230
Morré, D.M., see Zhao, J. (1055) 230
Moudgil, V.K.
Phosphorylation of steroid hormone receptors (1055) 243
Muschietti, J.P., see Bianchini, G.M. (1055) 75

Nagamine, Y., see Rondeau, E. (1055) 165

Odartchenko, N., see Péléraux, A. (1055) 141
Osanai, T., see Simonson, M.S. (1055) 63

Pastini, A.C., see Bianchini, G.M. (1055) 75
Paulik, M., see Zhao, J. (1055) 230
Péléraux, A., Eliason, J.F. and Odartchenko, N.
Binding, internalization and degradation of radio-iodinated interleukin 3 and granulocyte-macrophage colony stimulating factor by various hemopoietic cells (1055) 141
Perez, H.D., see Lobo, E. (1055) 193
Petersen, O.H., see Dunne, B.M.J. (1055) 157
Pike, L.J., see Walker, D.H. (1055) 295
Poznansky, M.J., see Amit, Y. (1055) 36
Pozzan, T., see Meldolesi, J. (1055) 130
Prinz, W.C., see Horne, W.C. (1055) 87

Rabenstein, D.L., see Millis, K.K. (1055) 10
Radda, G.K., see Seymour, A.-M.L. (1055) 107
Robbins, J., see Gonçalves, E. (1055) 151
Robinson, J.M., Heyworth, P.G. and Badwey, J.A.
Utility of staurosporine in uncovering differences in the signal transduction pathways for superoxide production in neutrophils (1055) 55
Roche, S., Bali, J.-P. and Magous, R.
Involvement of a pertussis toxin-sensitive G protein in the action of gastrin on gastric parietal cells (1055) 287
Rondeau, E., Guidet, B., Lacave, R., Bens, M., Sraer, J., Nagamine, Y., Ardaillou, R. and Sraer, J.-D.
Nordihydroguaiaretic acid inhibits urokinase synthesis by phorbol myristate acetate-stimulated LLC-PK1 cells (1055) 165

Sandström, P.-E. and Sehlin, J.
Barium mimics the effect of D-glucose on $^{86}Rb^{+}$ fluxes in mouse pancreatic β-cells (1055) 93
Sano, H., see Kawaguchi, H. (1055) 223
Santus, R., see Carillet, V. (1055) 102
Santus, R., see Carillet, V. (1055) 98
Scher, W., Eto, Y., Ejima, D., Den, T. and Svet-Moldavsky, I.A.
Phorbol ester-treated human acute myeloid leukemia cells secrete G-CSF, GM-CSF and erythroid differentiation factor into serum-free media in primary culture (1055) 278
Schiff, D., see Amit, Y. (1055) 36
Schoonderwoerd, K., see Hülsmann, W.C. (1055) 189
Sehested, M., see Demant, E.J.F. (1055) 117
Sehlin, J., see Sandström, P.-E. (1055) 93
Seymour, A.-M.L., Eldar, H. and Radda, G.K.
Hyperthyroidism results in increased glycolytic capacity in the rat heart. A ^{31}P-NMR study (1055) 107
Simonson, M.S., Osanai, T. and Dunn, M.J.
Endothelin isopeptides evoke Ca^{2+} signaling and oscillations of cytosolic free [Ca^{2+}] in human mesangial cells (1055) 63
Spoelstra, E.C., see Lankelma, J. (1055) 217
Sraer, J., see Rondeau, E. (1055) 165
Sraer, J.-D., see Rondeau, E. (1055) 165
Stam, H., see Hülsmann, W.C. (1055) 189
Storch, T.G.
Oxygen concentration regulates 5-azacytidine-induced myogenesis in $C_3H/10T1/2$ cultures (1055) 126
Svet-Moldavsky, I.A., see Scher, W. (1055) 278
Svoboda, M., Dupuche, M.-H., Lambert, M., Bui, D. and Christophe, J.
Internalization-sequestration and degradation of cholecystokinin (CCK) in tumoral rat pancreatic AR 4-2 J cells (1055) 207

Tager, J.M., see Bout, A. (1055) 240
Tang, E.K.-Y., see Horne, W.C. (1055) 87
Tanimura, A., Matsumoto, Y. and Tojyo, Y.
Evidence that isoproterenol-induced Ca^{2+}-mobilization in rat parotid acinar cells is not mediated by activation of β-adrenoceptors (1055) 273
Taylor, S.J., see Bouscarel, B. (1055) 265
Taylor, S.J., see Georgoussi, Z. (1055) 69
Téllez-Iñón, M.T., see Bianchini, G.M. (1055) 75
Thomas, P.D., see Amit, Y. (1055) 36
Tojyo, Y., see Tanimura, A. (1055) 273

Tomita, M. and Tsong, T.Y.
Selective production of hybridoma cells: antigenic-based pre-selection of B lymphocytes for electrofusion with myeloma cells (1055) 199
Torres, H.N., see Bianchini, G.M. (1055) 75
Tow, J.P., see Kopp, S.J. (1055) 27
Tsong, T.Y., see Tomita, M. (1055) 199

Waghray, G., see Ganguly, P.K. (1055) 186
Walker, D.H. and Pike, L.J.
Stimulation of purified phosphatidylinositol 4-kinase by cobra venom cardiotoxin (1055) 295
Winterbourn, C.C., Monteiro, H.P. and Galilee, C.F.
Ferritin-dependent lipid peroxidation by stimulated neutrophils: inhibition by myeloperoxidase-derived hypochlorous acid but not by endogenous lactoferrin (1055) 179

Yasuda, H., see Kawaguchi, H. (1055) 223
Yim, J., see Zhao, J. (1055) 230
Yule, D.I., see Dunne, B.M.J. (1055) 157

Zhao, J., Morré, D.J., Paulik, M., Yim, J. and Morré, D.M.
GTP hydrolysis by transitional endoplasmic reticulum from rat liver inhibited by all-*trans*-retinol (1055) 230